CHORUS - DOMESTIC RANGE

WHITE MODULAR DEVICES

TELEPHONE SOCKETS

INTERNATIONAL STANDARD TELEPHONE CONNECTORS

Code	Description	Type	Connection	No. Chorus modules	Pack Carton
GW 10 401	RJ11		Toolless	1	1/24
GW 10 402	RJ11	In out	Impact tool	1	1/24
GW 10 403	RJ11	Double	Impact tool	1	1/24
GW 10 404	RJ12		Toolless	1	1/24

CHARACTERISTICS: insulator punching connection. GW10402 connector with double terminal board (input and output) to facilitate the shunt of a second line.
APPLICATIONS: RJ11: telephone, telefax, modem. RJ12: intercommunicating internal systems.

DOUBLE CONNECTOR WITH ADSL FILTER

Code	Description	No. Chorus modules	Pack Carton
GW 10 410	ADSL filter with RJ11 dual S.-outlet for telephone	2	1/24

CHARACTERISTICS: BUS-type rear terminal for connecting up to 4 cables. Built-in ADSL filter.
APPLICATIONS: to be used for the simultaneous connection of telephone devices and modem/PC.

FRENCH STANDARD TELEPHONE CONNECTOR

Code	Description	Connection	No. Chorus modules	Pack Carton
GW 10 405	8 contacts	Screw-on terminals	1	1/24

ISRAELI STANDARD TELEPHONE CONNECTOR

Code	Description	Connection	No. Chorus modules	Pack Carton
GW 10 406	6 contacts	Screw-on terminals	1	1/24

DATA SOCKETS

RJ45 CONNECTORS

Code	Description	Number pairs	Category of use	Cables	Connection	No. Chorus modules	Pack Carton
GW 10 421	RJ45	4	5e	UTP	Toolless	1	1/24
GW 10 422	RJ45	4	5e	FTP	Toolless	1	1/24
GW 10 423	RJ45	4	6	UTP	Toolless	1	1/24
GW 10 424	RJ45	4	6	FTP	Toolless	1	1/24

APPLICATIONS: LANs up to 100MHz (e.g. Ethernet, Token Ring networks) for cat. 5e LANs up to 250MHz (e.g. Videoconference systems, CCTV) for cat. 6
NOTES: circuit identification label included.

EMPTY CONTAINER PREARRANGED FOR HOUSING RJ45 DATA CONNECTORS

Code	For connector type	No. Chorus modules	Pack Carton
GW 10 431	Keyston Jack	1	1/48

NOTES: According to the technological developments and to the dimensional variations introduced by the manufacturers of connectors, it is advisable to advance a practical test in order to check the full compatibility between the connector and the Gewiss empty enclosure.

BUSHES IN OPTICAL FIBRE

Code	Description	Type	No. Chorus modules	Pack Carton
GW 10 425	O.F. ST Bush	Bush duplex 50/125u	1	1/24
GW 10 426	O.F. SC Bush	Bush duplex 50/125u	1	1/24
GW 10 427	O.F. MT-RJ Bush	Bush duplex 50/125u	1	1/24

CHARACTERISTICS: Precise jointing and signal transmission without any attenuation. GW10425 ST bayonet connection; GW10427 MT-RJ coupling connection; GW10426 SC coupling connection.

CONNECTORS FOR CONVENTIONAL NETWORKS

CONNECTORS FOR CONVENTIONAL NETWORKS

Code	Description	Connection	No. Chorus modules	Pack Carton
GW 10 441	SUB-D 9 contacts	Weld-in	2	1/12
GW 10 442	SUB-D 15 contacts	Weld-in	2	1/12
GW 10 443	SUB-D 25 contacts	Weld-in	3	1/16
GW 10 445	BNC 50/75/93 cavo RG 58/59/62	Weld-in	1	1/12

CHARACTERISTICS: GW10445 BNC 50 Ohm (Ethernet networks); BNC 75/93 Ohm (video control systems, terminal connections).
APPLICATIONS: SUB-D connectors suitable for point-point connections for interfacing computers, peripheral devices, modems, etc..
NOTES: circuit identification label included.

News

②=June 2012

SOCKET-OUTLETS FOR AUXILIARY CIRCUITS

GW10451

SELV SOCKET-OUTLETS				
Code	**Description**	**For plug pins**	**No. Chorus modules**	**Pack Carton**
GW 10 451	2P - 6A - 24V	Ø 3 mm	1	12/24
GW 10 452	2P - 6A - 24V polarised	flat	1	12/24

CHARACTERISTICS: Centre distance 12,4mm.

AUDIO AND VIDEO SOCKETS

GW10453

AUDIO AND VIDEO CONNECTORS			
Code	**Description**	**No. Chorus modules**	**Pack Carton**
GW 10 453	Double RCA	1	1/24
GW 10 454	Phonic circuits	1	1/24
GW 10 446	F female Coupling connector	1	1/12
GW 10 458	Speaker connector	1	1/24

CHARACTERISTICS: GW10453 double RCA stud connector, red and white, weld-in connection.
GW10454 welding connection. GW10446 input and output connection via F-type male connector. GW10458 front access terminals for inserting 1.5mm2 rigid wires, insulator punching rear connection suitable for cables AWG24 or max 0.25mm2.

USB/HDMI BUSHES AND CONNECTORS

GW10459

USB/HDMI BUSHES AND CONNECTORS			
Code	**Description**	**No. Chorus modules**	**Pack Carton**
GW 10 457	USB Bush	1	1/24
GW 10 459	USB connector	1	1/24
GW 10 456	HDMI Bush	1	1/24

CHARACTERISTICS: GW10457 A-type USB 2.0 female-female adapter: given the depth of the USB connector, it is not possible to install the GW10457 product inside conventional flush-mounting and wall-mounting boxes.
GW10459 A-type USB 2.0 female connector, with screw terminals on the back.
GW10456 HDMI 1.3 female-female adapter: given the depth of the HDMI connector, it is not possible to install the GW10456 inside conventional flush-mounting and wall-mounting boxes.

News

②=June 2012

TELEPHONE SOCKETS

GW12403

INTERNATIONAL STANDARD TELEPHONE CONNECTORS

Code	Description	Type	Connection	No. Chorus modules	Pack Carton
GW 12 401	RJ11		Toolless	1	1/24
GW 12 402	RJ11	In out	Impact tool	1	1/24
GW 12 403	RJ11	Double	Impact tool	1	1/24
GW 12 404	RJ12		Toolless	1	1/24

CHARACTERISTICS: insulator punching connection. GW12402 connector with double terminal board (input and output) to facilitate the cutout of a second line.
APPLICATIONS: RJ11: telephone, telefax, modem. RJ12: intercommunicating internal systems.

GW12410

DOUBLE CONNECTOR WITH ADSL FILTER

Code	Description	No. Chorus modules	Pack Carton
GW 12 410	ADSL filter with RJ11 dual S.-outlet for telephone	2	1/24

CHARACTERISTICS: BUS-type rear terminal for connecting up to 4 cables. Built-in ADSL filter
APPLICATIONS: to be used for the simultaneous connection of telephone devices and modem/PC.

GW12405

FRENCH STANDARD TELEPHONE CONNECTOR

Code	Description	Connection	No. Chorus modules	Pack Carton
GW 12 405	8 contacts	Screw-on terminals	1	1/24

GW12406

ISRAELI STANDARD TELEPHONE CONNECTOR

Code	Description	Connection	No. Chorus modules	Pack Carton
GW 12 406	6 contacts	Screw-on terminals	1	1/24

DATA SOCKETS

GW12421

RJ45 CONNECTORS

Code	Description	Number pairs	Category of use	Cables	Connection	No. Chorus modules	Pack Carton
GW 12 421	RJ45	4	5e	UTP	Toolless	1	1/24
GW 12 422	RJ45	4	5e	FTP	Toolless	1	1/24
GW 12 423	RJ45	4	6	UTP	Toolless	1	1/24
GW 12 424	RJ45	4	6	FTP	Toolless	1	1/24

APPLICATIONS: LANs up to 100MHz (e.g. Ethernet, Token Ring networks) for cat. 5e LANs up to 250MHz (e.g. Videoconference systems, CCTV) for cat. 6
NOTES: circuit identification label included.

GW12431

EMPTY CONTAINERS FOR HOUSING RJ45 DATA CONNECTORS

Code	For connector type	No. Chorus modules	Pack Carton
GW 12 431	Keyston Jack	1	1/48

NOTES: According to the technological developments and to the dimensional variations introduced by the manufacturers of connectors, it is advisable to advance a practical test in order to check the full compatibility between the connector and the Gewiss empty enclosure.

GW12425

BUSHES IN OPTICAL FIBRE

Code	Description	Type	No. Chorus modules	Pack Carton
GW 12 425	O.F. ST Bush	Bush duplex 50/125u	1	1/24
GW 12 426	O.F. SC Bush	Bush duplex 50/125u	1	1/24
GW 12 427	O.F. MT-RJ Bush	Bush duplex 50/125u	1	1/24

CHARACTERISTICS: Precise jointing and signal transmission without any attenuation. GW12425 ST bayonet connection; GW12426 SC coupling connection; GW12427 MT-RJ coupling connection.

CONNECTORS FOR CONVENTIONAL NETWORKS

GW12443

CONNECTORS FOR CONVENTIONAL NETWORKS

Code	Description	Connection	No. Chorus modules	Pack Carton
GW 12 441	SUB-D 9 contacts	Weld-in	2	1/12
GW 12 442	SUB-D 15 contacts	Weld-in	2	1/12
GW 12 443	SUB-D 25 contacts	Weld-in	3	1/16
GW 12 445	BNC 50/75/93 cavo RG 58/59/62	Weld-in	1	1/12

CHARACTERISTICS: GW12445 BNC 50 Ohm (Ethernet networks); BNC 75/93 Ohm (video control systems, terminal connection).
APPLICATIONS: SUB-D connectors suitable for point-point connections for interfacing computers, peripheral devices, modems, etc..
NOTES: circuit identification label included.

News

②=June 2012