

ELMARK[®]

lighting solutions




WALL/CEILING RECESSED LIGHTING

Spotlight fixtures

Downlight fixtures




Body: aluminium alloy
LED type: epistar
Luminous Efficiency: >80lm/W




SAS-13




Model	Watt	LEDs (pcs)	Colour temp.	Colour	Size (mm)			Catalogue number	Packing (pcs)
					L	W	H		
SAS-13WH	1W	1	4000-4500	sat nickel	52	19	45	9213WH/SN	100
SAS-13WW	1W	1	2700-3000	sat nickel	52	19	45	9213WW/SN	100
SAS-13WH	1W	1	4000-4500	gold	52	19	45	9213WH/G	100
SAS-13WW	1W	1	2700-3000	gold	52	19	45	9213WW/G	100
SAS-13WH	1W	1	4000-4500	grdphite	52	19	45	9213WH/GR	100
SAS-13WW	1W	1	2700-3000	grdphite	52	19	45	9213WW/GR	100



Body: aluminium alloy
LED type: epistar
Luminous Efficiency: >80lm/W




SAS-14




Model	Watt	LEDs (pcs)	Colour temp.	Colour	Size (mm)			Catalogue number	Packing (pcs)
					L	W	H		
SAS-14WH	1W	1	4000-4500	sat nickel	60	21	52	9214WH/SN	100
SAS-14WW	1W	1	2700-3000	sat nickel	60	21	52	9214WW/SN	100
SAS-14WH	1W	1	4000-4500	gold	60	21	52	9214WH/G	100
SAS-14WW	1W	1	2700-3000	gold	60	21	52	9214WW/G	100
SAS-14WH	1W	1	4000-4500	grdphite	60	21	52	9214WH/GR	100
SAS-14WW	1W	1	2700-3000	grdphite	60	21	52	9214WW/GR	100




Body: aluminium alloy
LED type: epistar
Luminous Efficiency: >80lm/W




SA-913



Model	Watt	LEDs (pcs)	Colour temp.	Colour	Size (mm)			Catalogue number	Packing (pcs)
					L	W	H		
SA-913WH	3W	3	4000-4500	satin nickel	90	50	82	92913WH/SN	100
SA-913WW	3W	3	2700-3000	satin nickel	90	50	82	92913WW/SN	100
SA-913WH	3W	3	4000-4500	gold	90	50	82	92913WH/G	100
SA-913WW	3W	3	2700-3000	gold	90	50	82	92913WW/G	100
SA-913WH	3W	3	4000-4500	grdphite	90	50	82	92913WH/GR	100
SA-913WW	3W	3	2700-3000	grdphite	90	50	82	92913WW/GR	100



Body: aluminium alloy
LED type: epistar
Luminous Efficiency: >80lm/W




SA-914




Model	Watt	LEDs (pcs)	Colour temp.	Colour	Size (mm)			Catalogue number	Packing (pcs)
					L	W	H		
SA-914WH	3W	3	4000-4500	satin nickel	92	45	85	92914WH/SN	100
SA-914WW	3W	3	2700-3000	satin nickel	92	45	85	92914WW/SN	100
SA-914WH	3W	3	4000-4500	gold	92	45	85	92914WH/G	100
SA-914WW	3W	3	2700-3000	gold	92	45	85	92914WW/G	100
SA-914WH	3W	3	4000-4500	grdphite	92	45	85	92914WH/GR	100
SA-914WW	3W	3	2700-3000	grdphite	92	45	85	92914WW/GR	100



Body: aluminium alloy
LED type: epistar
Luminous Efficiency: >80lm/W




GL 219




Model	Watt	LEDs (pcs)	Colour temp.	Colour	Size (mm)			Catalogue number	Packing (pcs)
					L	W	H		
GL219CW	5x1W	5	6000-6500	aluminium	108	70	95	92LED219CW	40
GL219WH	5x1W	5	4000-4500	aluminium	108	70	95	92LED219WH	40
GL219WW	5x1W	5	2700-3000	aluminium	108	70	95	92LED219WW	40



Body: aluminium alloy
LED type: epistar
Luminous Efficiency: >80lm/W




GL 220



Model	Watt	LEDs (pcs)	Colour temp.	Colour	Size (mm)			Catalogue number	Packing (pcs)
					L	W	H		
GL220CW	7x1W	7	6000-6500	aluminium	108	70	95	92LED220CW	40
GL220WH	7x1W	7	4000-4500	aluminium	108	70	95	92LED220WH	40
GL220WW	7x1W	7	2700-3000	aluminium	108	70	95	92LED220WW	40



Body: aluminium alloy
LED type: epistar
Luminous Efficiency: >80lm/W



GL 221



Model	Watt	Colour temp.	Size (mm)			Catalogue number	Packing (pcs)
			L	W	H		
GL221CW	12x1W	6000-6500	135	66	120	92LED221CW	20
GL221WH	12x1W	4000-4500	135	66	120	92LED221WH	20
GL221WW	12x1W	2700-3000	135	66	120	92LED221WW	20



Body: aluminium alloy
LED type: epistar
Luminous Efficiency: >80lm/W

GL 222 LED ~230V Ra>80

Model	Watt	Colour temp.	Size (mm)			Catalogue number	Packing (pcs)
			L	W	H		
GL222CW	18x1W	6000-6500	160	95	145	92LED222CW	12
GL222WH	18x1W	4000-4500	160	95	145	92LED222WH	12
GL222WW	18x1W	2700-3000	160	95	145	92LED222WW	12



Body: aluminium alloy
LED type: epistar
Luminous Efficiency: >80lm/W

GL 223 LED ~230V Ra>80


Model	Watt	Colour temp.	Size (mm)			Catalogue number	Packing (pcs)
			L	W	H		
GL223CW	21x1W	4000-4500	180	95	160	92LED223CW	12
GL223WH	21x1W	4000-4500	180	95	160	92LED223WH	12
GL223WW	21x1W	2700-3000	180	95	160	92LED223WW	12



Body: aluminium alloy
LED type: epistar
Luminous Efficiency: >80lm/W


GL FILM LED ~230V Ra>80

Model	Watt	Colour temp.	Size (mm)			Catalogue number	Packing (pcs)
			L	W	H		
GL FILM215CW	5W	6000-6500	125	70	110	92LED215CW	20
GL FILM215WH	5W	4000-4500	125	70	110	92LED215WH	20
GL FILM215WW	5W	2700-3000	125	70	110	92LED215WW	20
GL FILM216CW	10W	6000-6500	165	70	140	92LED216CW	20
GL FILM216WH	10W	4000-4500	165	70	140	92LED216WH	20
GL FILM 216WW	10W	2700-3000	165	70	140	92LED216WW	20
GL FILM 217CW	15W	6000-6500	190	10	170	92LED217CW	10
GL FILM 217WH	15W	4000-4500	190	10	170	92LED217WH	10
GL FILM 217WW	15W	2700-3000	190	10	170	92LED217WW	10
GL FILM 218CW	20W	6000-6500	225	96	210	92LED218CW	10
GL FILM 218WH	20W	4000-4500	225	96	210	92LED218WH	10
GL FILM 218WW	20W	2700-3000	225	96	210	92LED218WW	10





Body: aluminium alloy




SA-70



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-70	79	25	60	white	9270/W	100
SA-70	79	25	60	chrome	9270/CH	100
SA-70	79	25	60	satin nickel	9270/SN	100
SA-70	79	25	60	pearl chrome	9270/PCH	100
SA-70	79	25	60	gold	9270/G	100
SA-70	79	25	60	antique brass	9270/AB	100



Body: aluminium alloy




SA-90



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-90	82	25	73	white	9290/W	100
SA-90	82	25	73	chrome	9290/CH	100
SA-90	82	25	73	satin nickel	9290/SN	100
SA-90	82	25	73	pearl chrome	9290/PCH	100
SA-90	82	25	73	gold	9290/G	100
SA-90	82	25	73	antique brass	9290/AB	100



Body: aluminium alloy




SA-71



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-71	79	25	60	satin nickel/gold	9271/SN-G	100
SA-71	79	25	60	satin nickel/chrome	9271/SN-CH	100
SA-71	79	25	60	pearl chrome/chrome	9271/PCH-CH	100
SA-71	79	25	60	satin gold/chrome	9271/SG-CH	100
SA-71	79	25	60	graphite/chrome	9271/GR-CH	100
SA-71	79	25	60	graphite/gold	9271/GR-G	100



Body: aluminium alloy




SA-91



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-91	82	25	73	satin nickel/gold	9291/SN-G	100
SA-91	82	25	73	satin nickel/chrome	9291/SN-CH	100
SA-91	82	25	73	pearl chrome/chrome	9291/PCH-CH	100
SA-91	82	25	73	satin gold/chrome	9291/SG-CH	100
SA-91	82	25	73	graphite/chrome	9291/GR-CH	100
SA-91	82	25	73	graphite/gold	9291/GR-G	100



Body: aluminium alloy




SA-702



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-702	79	25/25	60	chrome	92702/CH	100
SA-702	79	25/25	60	satin nickel	92702/SN	100
SA-702	79	25/25	60	gold	92702/G	100



Body: aluminium alloy




SA-702H



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-702H	79	25/25	60	chrome	92702H/CH	100
SA-702H	79	25/25	60	satin nickel	92702H/SN	100
SA-702H	79	25/25	60	gold	92702H/G	100



Body: aluminium alloy




SA-710



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-710	78	30	60	white	9271/W	100
SA-710	78	30	60	chrome	9271/CH	100
SA-710	78	30	60	satin nickel	9271/SN	100
SA-710	78	30	60	gold	9271/G	100
SA-710	78	30	60	antique brass	9271/AB	100



Body: aluminium alloy




SA-910



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-910	83	30	73	white	9291/W	100
SA-910	83	30	73	chrome	9291/CH	100
SA-910	83	30	73	satin nickel	9291/SN	100
SA-910	83	30	73	gold	9291/G	100
SA-910	83	30	73	antique brass	9291/AB	100




Body: aluminium alloy




SA-712




Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-712	78	25/25	60	chrome	92712/CH	100
SA-712	78	25/25	60	satin nickel	92712/SN	100
SA-712	78	25/25	60	gold	92712/G	100



Body: aluminium alloy




SA-712H



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-712H	78	25/25	60	chrome	92712H/CH	100
SA-712H	78	25/25	60	satin nickel	92712H/SN	100
SA-712H	78	25/25	60	gold	92712H/G	100



Body: aluminium alloy




SA-70V



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-70V	86	29	60	red antique brass	9270V/AC	100
SA-70V	86	29	60	antique brass	9270V/AB	100
SA-70V	86	29	60	pearl chrome	9270V/PS	100
SA-70V	86	29	60	chrome	9270V/CH	100
SA-70V	86	29	60	gold	9270V/G	100



Body: aluminium alloy




SA-90V



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SA-90V	93	25	75	red antique brass	9290V/AC	100
SA-90V	93	25	75	antique brass	9290V/AB	100
SA-90V	93	25	75	pearl chrome	9290V/PS	100
SA-90V	93	25	75	chrome	9290V/CH	100
SA-90V	93	25	75	gold	9290V/G	100



Body: stainless steel




SI-1170



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SI-1170	88	32	60	white	921170/W	100
SI-1170	88	32	60	chrome	921170/CH	100
SI-1170	88	32	60	satin nickel	921170/SN	100
SI-1170	88	32	60	pearl chrome	921170/PCH	100
SI-1170	88	32	60	gold	921170/G	100
SI-1170	88	32	60	antique brass	921170/AB	100
SI-1170	88	32	60	graphite	921170/GR	100



Body: stainless steel



SI-1190



Model	Size (mm)			Colour	Catalogue number	Packing (pcs)
	L	W	H			
SI-1190	95	32	75	white	921190/W	100
SI-1190	95	32	75	chrome	921190/CH	100
SI-1190	95	32	75	satin nickel	921190/SN	100
SI-1190	95	32	75	pearl chrome	921190/PCH	100
SI-1190	95	32	75	gold	921190/G	100
SI-1190	95	32	75	antique brass	921190/AB	100
SI-1190	95	32	75	graphite	921190/GR	100