

ELMARK[®]

lighting solutions



WATERPROOF LIGHTING

Wall/ceiling mounted fixtures

Lantern

Garden lighting




OL2006



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL2006S	1X60W	white	218	142	90	912006S/W	20
OL2006L	1X100W	white	320	205	115	912006L/W	10

Body: Aluminium casting;
Diffuser: Glass




OL2014



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL2014S	1X60W	white	190	175	90	912014S/W	20
OL2014S	1X60W	black	190	175	90	912014S/B	20
OL2014L	1X100W	white	255	240	120	912014L/W	10
OL2014L	1X100W	black	255	240	120	912014L/B	10

Body: Aluminium casting;
Diffuser: Glass




OL3001




Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL3001S	1X60W	white	213	107	95	913001S/W	20
OL3001S	1X60W	black	213	107	95	913001S/B	20
OL3001L	1X100W	white	280	160	115	913001L/W	8
OL3001L	1X100W	black	280	160	115	913001L/B	8

Body: Aluminium casting;
Diffuser: Glass





Body: Aluminium casting;
Diffuser: Glass




OL3002



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL3002S	1X60W	white	213	107	90	913002S/W	20
OL3002S	1X60W	black	213	107	90	913002S/B	20
OL3002L	1X100W	white	280	160	110	913002L/W	8
OL3002L	1X100W	black	280	160	110	913002L/B	8



Body: Aluminium casting;
Diffuser: Glass




OL4012



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL4012	1X60W	white	267	130	110	914012/W	8
OL4012	1X60W	black	267	130	110	914012/B	8



Body: Aluminium casting;
Diffuser: Glass



OL4013



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL4013	1X60W	white	267	130	105	914013/W	8
OL4013	1X60W	black	267	130	105	914013/B	8




OL5003



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL5003	1X60W	white	200	160	120	915003/W	8
OL5003	1X60W	black	200	160	120	915003/B	8

Body: Aluminium casting;
Diffuser: Glass




OL5004



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL5004S	1X60W	white	165	130	100	915004S/W	12
OL5004S	1X60W	black	165	130	100	915004S/B	12
OL5004L	1X60W	white	220	158	120	915004L/W	12
OL5004L	1X60W	black	220	158	120	915004L/B	12

Body: Aluminium casting;
Diffuser: Glass





ARIA



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
ARIA	23W	white	350	120	80	91AT5201	18
ARIA	23W	grey	350	120	80	91AT5202	18

Body: PVC
Diffuser: PVC







LINIA1



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
LINIA1	60W	white	320	137	110	91AT6117	26
LINIA1	60W	grey	320	137	110	91AT6119	26

Body: PVC
Diffuser: PVC




LINIA4



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
LINIA4	60W	white	320	200	110	91AT6126	18
LINIA4	60W	grey	320	200	110	91AT6127	18

Body: PVC
Diffuser: PVC




SIRIUS



Model	Watt	Colour	Size (mm)		Catalogue number	Packing (pcs)
			Φ	Height		
SIRIUS1	60W	white	Φ230	110	91AT1210	21
SIRIUS1	60W	grey	Φ230	110	91AT1280	21
SIRIUS2	60W	white	Φ280	115	91AT1209	14
SIRIUS2	60W	grey	Φ280	115	91AT1289	14

Body: PVC
Diffuser: PVC






OL7072 / OL1024-1



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL7072	1X20W	grey	160	90	155	917072/GR	10
OL7072	1X20W	black	160	90	155	917072/B	10
OL1024-1	1X20W	sat.nickel	160	90	155	911024-1	10

BODY: Aluminium casting;
DIFFUSER: Glass




OL7092 / OL1024-2



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL7092	2X20W	grey	260	90	155	917092/GR	10
OL7092	2X20W	black	260	90	155	917092/B	10
OL1024-2	2X20W	sat.nickel	260	90	155	911024-2	10

BODY: Aluminium casting;
DIFFUSER: Glass






OL005-1



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL005-1	1X20W	sat.nickel	205	92	155	91005-1	10

BODY: Aluminium casting;
DIFFUSER: Glass







OL005-2



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL005-2	2X20W	sat.nickel	265	92	155	91005-2	10

BODY: Aluminium casting;
DIFFUSER: Glass





Body: aluminium
Diffuser: glass

50313




Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50313 HANGING	white	330	195	195	9350313WH	6
50313 HANGING	black	330	195	195	9350313BL	6
50313 HANGING	ancient gold	330	195	195	9350313AG	6
50313 HANGING	oxidated copper	330	195	195	9350313AC	6



Body: aluminium
Diffuser: glass

50311



Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50311 UPWARD	white	350	195	220	9350311WH	6
50311 UPWARD	black	350	195	220	9350311BL	6
50311 UPWARD	ancient gold	350	195	220	9350311AG	6
50311 UPWARD	oxidated copper	350	195	220	9350311AC	6




In order to assemble this model of lantern you must select model of lantern - 50311 (from page 71), model of connector for lantern (from page 77) and metal pole (from page 77).



Body: aluminium
Diffuser: PVC

50022



Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50022 DOWN	white	490	255	370	9350022WH	6
50022 DOWN	black	490	255	370	9350022BL	6
50022 DOWN	ancient gold	490	255	370	9350022AG	6
50022 DOWN	oxidated copper	490	255	370	9350022AC	6



Body: aluminium
Diffuser: PVC

50023




Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50023 HANGING	white	340	255	255	9350023WH	6
50023 HANGING	black	340	255	255	9350023BL	6
50023 HANGING	ancient gold	340	255	255	9350023AG	6
50023 HANGING	oxidated copper	340	255	255	9350023AC	6



Body: aluminium
Diffuser: PVC

50021



Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50021 UPWARD	white	400	255	300	9350021WH	6
50021 UPWARD	black	400	255	300	9350021BL	6
50021 UPWARD	ancient gold	400	255	300	9350021AG	6
50021 UPWARD	oxidated copper	400	255	300	9350021AC	6




In order to assemble this model of lantern you must select model of lantern - 50021 (from page 72), model of connector for lantern (from page 77) and metal pole (from page 77).



Body: aluminium
Diffuser: glass

50072



Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50072 DOWN	white	340	165	200	9350072WH	6
50072 DOWN	black	340	165	200	9350072BL	6
50072 DOWN	ancient gold	340	165	200	9350072AG	6
50072 DOWN	oxidated copper	340	165	200	9350072AC	6



Body: aluminium
Diffuser: glass

50073




Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50073 HANGING	white	340	165	165	9350073WH	6
50073 HANGING	black	340	165	165	9350073BL	6
50073 HANGING	ancient gold	340	165	165	9350073AG	6
50073 HANGING	oxidated copper	340	165	165	9350073AC	6



Body: aluminium
Diffuser: glass

50071



Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50071 UPWARD	white	340	165	200	9350071WH	6
50071 UPWARD	black	340	165	200	9350071BL	6
50071 UPWARD	ancient gold	340	165	200	9350071AG	6
50071 UPWARD	oxidated copper	340	165	200	9350071AC	6



In order to assemble this model of lantern you must select model of latern - 50071 (from page 73), model of connector for lantern (from page 77) and metal pole (from page 77).



Body: aluminium
Diffuser: glass

50182



Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50182 DOWN	white	340	165	180	9350182WH	10
50182 DOWN	black	340	165	180	9350182BL	10
50182 DOWN	ancient gold	340	165	180	9350182AG	10
50182 DOWN	oxidated copper	340	165	180	9350182AC	10



Body: aluminium
Diffuser: glass

50183



Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50183 HANGING	white	340	165	165	9350183WH	10
50183 HANGING	black	340	165	165	9350183BL	10
50183 HANGING	ancient gold	340	165	165	9350183AG	10
50183 HANGING	oxidated copper	340	165	165	9350183AC	10



Body: aluminium
Diffuser: glass

50181



Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50181 UPWARD	white	340	165	180	9350181WH	10
50181 UPWARD	black	340	165	180	9350181BL	10
50181 UPWARD	ancient gold	340	165	180	9350181AG	10
50181 UPWARD	oxidated copper	340	165	180	9350181 AC	10



In order to assemble this model of lantern you must select model of lantern - 50181 (from page 74), model of connector for lantern (from page 77) and metal pole (from page 77).



Body: aluminium
Diffuser: glass

50192



Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50192 DOWN	white	330	150	185	9350192WH	6
50192 DOWN	black	330	150	185	9350192BL	6
50192 DOWN	ancient gold	330	150	185	9350192AG	6
50192 DOWN	oxidated copper	330	150	185	9350192AC	6



Body: aluminium
Diffuser: glass

50193



Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50193 HANGING	white	330	150	150	9350193WH	6
50193 HANGING	black	330	150	150	9350193BL	6
50193 HANGING	ancient gold	330	150	150	9350193AG	6
50193 HANGING	oxidated copper	330	150	150	9350193AC	6



Body: aluminium
Diffuser: glass

50191



Model	Colour	Size (mm)			Catalogue number	Packing (pcs)
		Lenght	Width	Height		
50191 UPWARD	white	330	150	185	9350191WH	6
50191 UPWARD	black	330	150	185	9350191BL	6
50191 UPWARD	ancient gold	330	150	185	9350191AG	6
50191 UPWARD	oxidated copper	330	150	185	9350191AC	6



In order to assemble this model of lantern you must select model of lantern - 50191 (from page 75), model of connector for lantern (from page 77) and metal pole (from page 77).



Body: metal

CONNECTOR FOR LANTERN

Model	Watt	Colour	Size (mm)		Catalogue number	Packing (pcs)
			Φ	Height		
SO63	1X60W	white	63	51	93SO63WH	1
SO63	1X60W	black	63	51	93SO63BL	1
SO63	1X60W	ancient gold	63	51	93SO63AG	1
SO63	1X60W	oxidated copper	63	51	93SO63AC	1




Body: metal

METAL POLE


Model	Colour	Size (mm)		Catalogue number	Packing (pcs)
		Φ	Height		
SP60 METAL POLE 0,6m	black	60	600	93SP60BL	1
SP80 METAL POLE 0,8m	black	60	800	93SP80BL	1
SP100 METAL POLE 1M	black	60	1000	93SP100BL	1
SP120 METAL POLE 1,2M	black	60	1200	93SP120BL	1



Body: stainless steel
Diffuser: ABS




HERA




Model	Watt	Colour	Size (mm)		Catalogue number	Packing (pcs)
			Lenght	Φ		
HERAW1	max1X40W	satin nickel	370	77	96000001	20



Body: stainless steel
Diffuser: ABS




HERA



Model	Watt	Colour	Lenght	Size (mm)		Catalogue number	Packing (pcs)
				Φ	Width		
HERAW2	max1X40W	satin nickel	330	77	145	96000005	12



Body: stainless steel
Diffuser: ABS




HERA




Model	Watt	Colour	Lenght	Size (mm)		Catalogue number	Packing (pcs)
				Φ	Base Φ		
HERA45	max1X40W	satin nickel	450	77	125	96000002	12
HERA65	max1X40W	satin nickel	650	77	125	96000003	12
HERA110	max1X40W	satin nickel	1100	77	125	96000004	6



Body: stainless steel
Diffuser: ABS




HECTOR




Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
HECTORW1	max1X40W	satın nickel	377	80		96100006	20



Body: stainless steel
Diffuser: ABS




HECTOR



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Height	Width	Lenght		
HECTORW2	max1X40W	satın nickel	390	80	145	96100010	12



Body: stainless steel
Diffuser: ABS




HECTOR



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Base		
HECTOR45	max1X40W	satın nickel	450	80	130	96100007	12
HECTOR65	max1X40W	satın nickel	650	80	130	96100008	12
HECTOR110	max1X40W	satın nickel	1100	80	130	96100009	6



Body: stainless steel painted in stone grey
Diffuser: ABS




TARA




Model	Watt	Colour	Size (mm)		Catalogue number	Packing (pcs)
			Lenght	Φ		
TARAW1	max1X40W	stone grey	376	116	96200011	12



Body: stainless steel painted in stone grey
Diffuser: ABS




TARA



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Φ	Width		
TARAW2	max1X40W	stone grey	330	116	150	96200015	12



Body: stainless steel painted in stone grey
Diffuser: ABS



TARA



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Φ	Base Φ		
TARA45	max1X40W	stone grey	450	116	130	96200012	12
TARA65	max1X40W	stone grey	650	116	130	96200013	12
TARA110	max1X40W	stone grey	1100	116	130	96200014	6




OL7112



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL7112	1X20W	grey	210	90	155	917112/GR	10
OL7112	1X20W	black	210	90	155	917112/B	10

BODY: Aluminium casting;
DIFFUSER: PVC




OL7112-2



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL7112-2	2X20W	grey	210	220	115	917112-2/GR	10
OL7112-2	2X20W	black	210	220	115	917112-2/B	10

BODY: Aluminium casting;
DIFFUSER: PVC






OL7113



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL7113	1X20W	grey	210	110	175	917113/GR	10
OL7113	1X20W	black	210	110	175	917113/B	10

BODY: Aluminium casting;
DIFFUSER: PVC




OL7113-2



Model	Watt	Colour	Size (mm)			Catalogue number	Packing (pcs)
			Lenght	Width	Height		
OL7113-2	2X20W	grey	320	90	155	917132/GR	10
OL7113-2	2X20W	black	320	90	155	917132/B	10

BODY: Aluminium casting;
DIFFUSER: PVC





Diffuser: PMMA - (Polymethyl methacrylate)

PMMA OPAL



Model	Watt	Colour	Size (mm)		Packing (pcs)
			Φ	Catalogue number	
PMMA OPAL200	max 1X60W	opal	200	96300016	16
PMMA OPAL250	max 1X60W	opal	250	96300017	12
PMMA OPAL300	max 1X60W	opal	300	96300018	6
PMMA OPAL400	max 1X60W	opal	400	96300019	2



Diffuser: PMMA - (Polymethyl methacrylate)

PMMA GOLD



Model	Watt	Colour	Size (mm)		Packing (pcs)
			Φ	Catalogue number	
PMMA GOLD200	max 1X60W	gold	200	96400020	16
PMMA GOLD250	max 1X60W	gold	250	96400021	12
PMMA GOLD300	max 1X60W	gold	300	96400022	6
PMMA GOLD400	max 1X60W	gold	400	96400026	6



Diffuser: PMMA - (Polymethyl methacrylate)

PMMA CLEAR



Model	Watt	Colour	Size (mm)		Packing (pcs)
			Φ	Catalogue number	
PMMA CLEAR200	max 1X60W	clear	200	96400023	16
PMMA CLEAR250	max 1X60W	clear	250	96400024	12
PMMA CLEAR300	max 1X60W	clear	300	96400025	6




Body: metal

METAL POLE

Model	Colour	Size (mm)		Catalogue number	Packing (pcs)
		Φ	Height		
SP60 METAL POLE 0,6m	black	Φ60	600	93SP60BL	1
SP80 METAL POLE 0,8m	black	Φ60	800	93SP80BL	1
SP100 METAL POLE 1M	black	Φ60	1000	93SP100BL	1
SP120 METAL POLE 1,2M	black	Φ60	1200	93SP120BL	1



Body: Aluminium casting
Diffuser: glass




GF102



Model	Watt	Size (mm)			Colour	Catalogue number	Packing (pcs)
		L	W	Φ			
GF102	max 50W	320	244	98	black	96GF102	20



Body: PVC




GF101 PAR




Model	Watt	Size (mm)			Colour	Catalogue number	Packing (pcs)
		L	W	Φ			
GF101 PAR	max 1X80W	440/315	155/200	73	black	96GF101PAR	25



Body: PVC




GF102 PAR



Model	Watt	Size (mm)			Colour	Catalogue number	Packing (pcs)
		L	W	Φ			
GF102 PAR	max 2X80W	440	155/200	73	black	96GF102PAR	10



Body: PVC
Cover: aluminium ring and glass diffuser
Ignitor: SCHWABE
Load capacity is 20 ton



GRF109



Model	Watt	Lamp	Size (mm)			Colour	Current (A)	Ballast	Catalogue number	Packing (pcs)
			L1/L2	W/W1	H					
GRF109	70W	MHL	280/270	200/260	185	satin nickel	0,95	magnetic SCHWABE	96GRF109/70SCH	4
GRF109	150W	MHL	280/270	200/260	185	satin nickel	1,80	magnetic SCHWABE	96GRF109/150SCH	4
GRF109	70W	MHL	280/270	200/260	185	satin nickel	0,95	magnetic STELLAR	96GRF109/70F	4
GRF109	150W	MHL	280/270	200/260	185	satin nickel	1,80	magnetic STELLAR	96GRF109/150F	4
GRF109	70W		280/270	200/260	185	satin nickel		empty fixture	96GRF109/70	4
GRF109	150W		280/270	200/260	185	satin nickel		empty fixture	96GRF109/150	4



Body: PVC
Cover: aluminium ring and glass diffuser
Load capacity is 20 ton

GRF105




Model	Watt	Size (mm)			Colour	Catalogue number	Packing (pcs)
		L	W/W1	Φ			
GRF105	max 50W	145	80/113	48	satin nickel	96GRF105	20




Body: PVC
Cover: aluminium ring and glass diffuser
Load capacity is 20 ton

GRF106




Model	Watt	Size (mm)			Colour	Catalogue number	Packing (pcs)
		L	W/W1				
GRF106	max 50W	135/127	80/100		satin nickel	96GRF106	20







Body: PVC
Diffuser: aluminium ring and glass diffuser
Load capacity is 20ton



Body: PVC
Diffuser: aluminium ring and glass diffuser
Load capacity is 20ton



Body: PVC
Diffuser: aluminium ring and glass diffuser



GRF LED



Model	LEDs		LED Type	Colour temperature (K)	Operating temperature	Size (mm)			Catalogue number	Packing (pcs)
	(pcs)	Watt				Φ	Φ	H		
GRF LED001	12	1,5W	Φ5mm	6000-6500	-20°C+50°C	95	60	80	96GRFLED001	16

GRF LED



Model	LEDs		LED Type	Colour temperature (K)	Operating temperature	Size (mm)			Catalogue number	Packing (pcs)
	(pcs)	Watt				L	Φ	H		
GRF LED002	12	1,5W	Φ5mm	6000-6500	-20°C+50°C	95	60	80	96GRFLED002	16


GRF LED



Model	LEDs		LED Type	Colour temperature (K)	Operating temperature	Size (mm)			Catalogue number	Packing (pcs)
	(pcs)	Watt				L	W	H		
GRF LED003	12	1,5W	Φ5mm	6000-6500	-20°C+50°C	110	45	54	96GRFLED003	16
GRF LED004	16	2W	Φ5mm	6000-6500	-20°C+50°C	170	68	82	96GRFLED004	16



Body: PVC
Diffuser: aluminium ring and glass diffuser




GRF LED



Model	LEDs		LED Type	Colour temperature (K)	Operating temperature	Size (mm)			Catalogue number	Packing (pcs)
	(pcs)	Watt				L	W	H		
GRF LED005	12	1,5W	Φ5mm	6000-6500	-20°C+50°C	110	45	54	96GRFLED005	16
GRF LED006	16	2W	Φ5mm	6000-6500	-20°C+50°C	170	68	82	96GRFLED006	16



Body: PVC
Diffuser: aluminium ring and glass diffuser




GRF LED



Model	LEDs		LED Type	Colour temperature (K)	Operating temperature	Size (mm)			Catalogue number	Packing (pcs)
	(pcs)	Watt				L	W	H		
GRF LED007	9	1,2W	Φ5mm	6000-6500	-20°C+50°C	70	70	54	96GRFLED007	16
GRF LED008	16	2W	Φ5mm	6000-6500	-20°C+50°C	105	105	78	96GRFLED008	16



Body: PVC
Diffuser: aluminium ring and glass diffuser



GRF LED



Model	LEDs		LED Type	Colour temperature (K)	Operating temperature	Size (mm)			Catalogue number	Packing (pcs)
	(pcs)	Watt				L	W	H		
GRF LED009	9	1,2W	Φ5mm	6000-6500	-20°C+50°C	70	70	54	96GRFLED009	16
GRF LED010	16	2W	Φ5mm	6000-6500	-20°C+50°C	105	105	78	96GRFLED010	16