

# SMART

Desk socket outlet in specialist trade quality.

## The advantages at a glance

- Exclusive to the specialist trade
- Specialised trade design
- For professional use
- Tested quality
- Product variants:
- Screwed and rewirable
- Overvoltage protection

Max. 16A / 3680W



For suitable screw mounting see page 207

- 3x socket outlet with earthing contact
- Supply cable: H05VV-F 3G 1.50 mm<sup>2</sup>

Art. no.	Version	Unit
<b>SMART (not rewirable)</b>		<b>Dimensions: approx. 185 x 56 x 41 mm</b>
1.5 m supply cable, screwed (single use screws), without switch		
· 3 earthing contact socket outlets, child-proof		
387.170	· Black	20 items
387.270	· White	20 items
3.0 m supply cable, screwed (single use screws), without switch		
· 3 earthing contact socket outlets, child-proof		
387.171	· Black	20 items
387.271	· White	20 items
5.0 m supply cable, screwed (single use screws), without switch		
· 3 earthing contact socket outlets, child-proof		
387.172	· Black	15 items
387.272	· White	15 items

Art. no.	Version	Unit
<b>SMART (rewirable)</b>		<b>Dimensions: approx. 185 x 56 x 41 mm</b>
1.5 m supply cable, screwed (reusable screws), without switch		
· 3 earthing contact socket outlets, child-proof		
388.170	· Black	20 items
388.270	· White	20 items
3.0 m supply cable, screwed (reusable screws), without switch		
· 3 earthing contact socket outlets, child-proof		
388.171	· Black	20 items
388.271	· White	20 items
388.471	· Brown	20 items
388.371	· Red	20 items
5.0 m supply cable, screwed (reusable screws), without switch		
· 3 earthing contact socket outlets, child-proof		
388.172	· Black	15 items
388.272	· White	15 items
Without supply cable, screwed (reusable screws), without switch		
· 3 earthing contact socket outlets, child-proof		
385.170	· Black	20 items
385.270	· White	20 items



Max. 16 A / 3680 W

· Supply cable: H05VV-F 3G 1.50 mm<sup>2</sup>

Art. no.	Version	Unit
<b>SMART 4x earthing contact</b> <span style="float: right;"><b>Dimensions: approx. 288 x 56 x 41 mm</b></span>		
1.5 m supply cable, screwed (reusable screws), rewirable, without switch		
· 4 earthing contact socket outlets, child-proof		
381.121K	· Black	20 items
381.221K	· White	20 items
1.5 m supply cable, 1 x switch, screwed (reusable screws), rewirable		
· 4 earthing contact socket outlets, child-proof		
381.130K	· Black	20 items
381.230K	· White	20 items
381.430K	· Brown	20 items
Without supply cable, screwed (reusable screws), rewirable		
· 4 earthing contact socket outlets, child-proof		
381.223K	· White, without switch	20 items
<b>SMART 6x earthing contact</b> <span style="float: right;"><b>Dimensions: approx. 370 x 56 x 41 mm</b></span>		
1x overvoltage protection, 1x switch, 1.5 m supply cable, screwed (screws non-reusable), non-rewirable		
· 6 earthing contact socket outlets, child-proof		
· Overvoltage protection consisting of: 2 varistors, nominal arrester current 6.5 kA, 16A, 3680W, temperature protection, optical fail indicator		
381.2501K	· White	20 items
<b>SMART 6x earthing contact</b> <span style="float: right;"><b>Dimensions: approx. 288 x 56 x 41 mm</b></span>		
1.5 m supply cable, screwed (reusable screws), rewirable, without switch		
· 6 earthing contact socket outlets, child-proof		
381.147K	· Black	20 items
381.247K	· White	20 items
3.0 m supply cable, screwed (reusable screws), rewirable, without switch		
· 6 earthing contact socket outlets, child-proof		
381.148K	· Black	20 items
381.248K	· White	20 items
5.0 m supply cable, screwed (reusable screws), rewirable, without switch		
· 6 earthing contact socket outlets, child-proof		
381.149K	· Black	15 items
381.249K	· White	15 items
Without supply cable, screwed (reusable screws) rewirable, without switch		
· 6 earthing contact socket outlets, child-proof		
381.146K	· Black	20 items
381.246K	· White	20 items
1.5 m supply cable, 1 x switch, screwed (reusable screws), rewirable		
· 6 earthing contact socket outlets, child-proof		
381.150K	· Black	20 items
381.250K	· White	20 items
381.450K	· Brown	20 items
3.0 m supply cable, 1x switch, screwed (reusable screws) rewirable		
· 6 earthing contact socket outlets, child-proof		
381.151K	· Black	20 items
381.251K	· White	20 items
5.0 m supply cable, 1 x switch, screwed (reusable screws), rewirable		
· 6 earthing contact socket outlets, child-proof		
381.152K	· Black	15 items
381.252K	· White	15 items

Max. 16A / 3680W



· Supply cable: H05VV-F 3G 1.50 mm<sup>2</sup>, white

Art. no.	Version	Unit
<b>SMART 3x UTE</b> <span style="float: right;"><b>Dimensions: approx. 185 x 56 x 41 mm</b></span>		
1.5 m supply cable, screwed (reusable screws), rewirable, without switch		
· 3 UTE, child-proof		
388.270F	· White	20 items
3.0 m supply cable, screwed (reusable screws), rewirable, without switch		
· 3 UTE, child-proof		
388.271F	· White	20 items
<b>SMART 6x UTE</b> <span style="float: right;"><b>Dimensions: approx. 340 x 56 x 41 mm</b></span>		
1.5 m supply cable, 1 x switch, screwed (reusable screws), rewirable, child-proof		
· 6 UTE, child-proof		
381.250F	· White	20 items
3.0 m supply cable, screwed (multi-use), rewirable, child-proof, 1x overvoltage protection, 1x switch		
· 6 UTE, child-proof		
· Overvoltage protection consisting of: 2 varistors, nominal discharge current 6.5kA, 16A, 3600 W, temperature fuse and visual fail indicator		
381.2512K	· White	20 items
381.2507K	· Black	20 items
1.5 m supply cable, screwed (reusable screws), rewirable		
· 6 UTE, child-proof		
381.247F	· White	20 items
3.0 m supply cable, screwed (reusable screws), rewirable		
· 6 UTE, child-proof		
381.248F	· White	20 items



Socket outlets

### Screw mounting for SMART power strips

- Attaches to desk/table with screw mounting, e.g. on the edge of a desk
- Can be positioned lengthwise or crosswise

Art. no.	Version	Unit
<b>SMART desk attachment</b>		
For all rewirable (reusable screws) power strips, plastic version		
919.173	· Black	1 item
919.273	· White	1 item



Max. 16 A / 3680 W

· Supply cable: H05VV-F 3G 1.50 mm<sup>2</sup>

Art. no.	Version	Unit
----------	---------	------

**3 x earthing contact**

Angled plug set at 45°, without switch

3 earthing contact socket outlets, non child-proof

387.270S	· White, supply cable 1.5 m	20 items
387.271S	· White, supply cable 3.0 m	20 items

Angled plug, set at 45°, 1 x switch, red

3x earthing contact socket outlets, child-proof

384.270S	· White, supply cable 1.5 m	20 items
----------	-----------------------------	----------

**6 x earthing contact**

Angled plug set at 45°, without switch

6x earthing contact socket outlets, child-proof

381.241S	· White, supply cable 1.5 m	20 items
381.141S	· Black, supply cable 1.5 m	20 items

Angled plug set at 45°, 1x switch, red

6x earthing contact socket outlets, child-proof

381.244S	· White, supply cable 1.5 m	20 items
381.144S	· Black, supply cable 1.5 m	20 items

Export versions (since a cable cross-section of 1.0 mm<sup>2</sup> is not permitted in Germany).

Art. no.	Version	Unit
----------	---------	------

**3x earthing contact**1.4 m supply cable H05VV-F 3G 1.00 mm<sup>2</sup>, with right angle plug and set at 45°, without switch

· 3 earthing contact socket outlets, non child-proof

384.370S	· White	20 items
----------	---------	----------

1x red switch, 1.4 m supply cable H05VV-F 3G 1.00 mm<sup>2</sup>, with right angle plug and set at 45°

· 3 earthing contact socket outlets, non child-proof

384.371S	· White	20 items
----------	---------	----------

**6x earthing contact**1.4 m supply cable H05VV-F 3G 1.00 mm<sup>2</sup>, with right angle plug and set at 45°, without switch

· 6 earthing contact socket outlets, child-proof

381.340S	· White	20 items
----------	---------	----------

**6x earthing contact**1x red switch, 1.4 m supply cable H05VV-F 3G 1.00 mm<sup>2</sup>, with right angle plug and set at 45°

· 6 earthing contact socket outlets, child-proof

381.343S	· White	20 items
----------	---------	----------



Max. 10/16A/250V~  



Art. no.	Version	Unit
<b>Power strip</b>		
1.5 m supply cable H05VV-F 3G 1.50 mm <sup>2</sup> , screwed, rewirable with earthing contact plug		
· 2 socket outlets with earthing contact		
380.270	· White	25 items
1.5 m supply cable H05VV-F 3G 1.50 mm <sup>2</sup> , screwed, rewirable with earthing contact right angle plug		
· 4 socket outlets with earthing contact		
380.271	· White	25 items



Multiple plug adaptor  

Art. no.	Version	Unit
<b>Multiple plug adaptor, max. 2.5A/250V~</b>		
2 Europlug sockets		
921.271	· White	30 items



Surface-mounted standard ERGE earthing contact socket outlets, max. 16A/250V~  

Art. no.	Version	Unit
<b>Surface-mounted standard ERGE socket outlet with earthing contact</b>		
1x surface-mounted earthing contact socket, DIN 49 440		
382.204	· Greenland white	10 items
2x surface-mounted earthing contact sockets, DIN 49 440		
382.205	· Greenland white	10 items





Powercubes look good on any desk and combine modern design with practical versatility. They combine a range of functions in a compact, handy and space-saving form.

#### The advantages at a glance

- Supply cable: 2.0m H05W-F 3G 1.00 mm<sup>2</sup>, black, with right angle plug with earthing contact
- Dimensions (L x W x H): 105 x 120 x 95mm
- Two fixed sockets and one socket moveable through 90°, with overvoltage protection
- Overvoltage protection and earthing indicators: the green LED shows that the power network is securely earthed. The red LED indicates that the voltage protection unit is functioning correctly.
- X3 multi-stage metal-oxide varistor absorbs power pulses and thus offers protection against high-energy voltage peaks.



Art. no.	Version	 	Unit
----------	---------	---	------

#### Powercube

Powercube, 3x earthing contact sockets, 10A/230V

335.050	<ul style="list-style-type: none"> <li>· Resettable 10A fuse</li> <li>· Headphone and microphone jacks</li> <li>· Overvoltage protection indicator</li> <li>· Earthing indicator</li> <li>· X3 multi-stage metal oxide varistor</li> <li>· High-frequency capacitor for noise reduction</li> <li>· Safety switch-off system</li> <li>· Child-proof</li> </ul>	1 item
---------	---	--------

Powercube Protection, 3x earthing contact sockets, 10A/230V

335.051	<p><b>Additional features of Powercube Protection:</b></p> <ul style="list-style-type: none"> <li>· Telephone, fax, modem and network protection</li> <li>· USB 2.0 charging device with 2 outlets</li> </ul>	1 item
---------	---	--------